

PRD N° 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





EU Type Examination Certificate

Date: 2022/06/30

n. 947222603/OE

Validity: 2027/06/29

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: (Responsible of the PPE)	JALLATTE SAS Rue du fort, 5 – 30170 ST HIPPOLYTE DU FORT – France		
Type of PPE:	Safety footwear in conformity with EN ISO 20345:2011 class I (= footwear in leather and other materials)		
Category of PPE:	II : "medium" risks. This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.		
Model	"JALO2 SAS ESD JIJI446" code JIJI446		
Description:	model: A (low footwear); fastening system: by means of laces; processing: direct injection; outsole: "forma 7466 JAL INDUSTRY" with Eco fluo green compact PU marked "antistatic oil resistant" (CH00221); midsole: black foam PU (CH00206); upper: black suede microfiber (Sl00756); collar: black fabric coupled with white felt (Sl00758), with retroreflective insert in the heel area; tongue: black fabric semplice (Sl00759) centrally lined and padded; bellows: black coated synthetic fabric (Sl0002); vamp lining: grey three-dimensional fishnet knitting coupled with black canvas (Sl00743); rear collar and tongue lining: fluo green three-dimensional fishnet knitting (Sl00765); insole: white 50% recycled multi-layered fabric with green and red stamp declared conductive "PREMIUM X" (SP00034), which also serves as penetration resistant insert; removable insock: grey perforated foam material with white insert in the heel area, coupled with black knitting with "MAXI SOFT DUO" stamp in contact with the user (TL00172); toecaap: polymeric material, art. "PS240 HAWAI" (PU00042).		
Technical Standard:	EN ISO 20344:2011 (UNI EN ISO 20344:2012)Personal protective equipment – Test methods for footwear Personal protective equipment – Safety footwearEN ISO 20345:2011 (UNI EN ISO 20345:2012)Personal protective equipment – Safety footwear		
Intended use:	general industry, engineering industry, construction industry, agriculture, warehouses, works on trucks, cranes.		
Size range:	from 35 to 48		
Technical File:	DC-15309/E		
Test report:	RCT n°4132111/E		





PRD Nº 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





EU Type Examination Certificate

n. 947222603/OE	Validity: 2027/06/29
basic requirements for safety footwear (SB) (see Table 2 mandatory ones, among which <mark>:</mark>	and 3 of EN ISO 20345:2011): all
SRC = Slip resistance – meets the following requirement: <u>surface</u>: ceramic / <u>lubricant</u>: detergent solution; <u>surface</u>: steel / <u>lubricant</u>: glycerol. 	
Additional requirements (Tab. 18 and 20 of EN ISO 20345: S1 = closed seat region, antistatic properties, energy resistance to fuel oil; P = penetration resistance of the sole complex.	gy absorption of seat region,
Note 1: the penetration resistance of the synthetic stitch proo diameter of the perforating object; in return the synthetic insole ergonomics advantages (flexibility, insulation, humidity and impo Note 2: the footwear also meets the requirement in accordance 4-3:2017) for the electrical resistance ESD (electric dissipative foo	e offers more protective surface and act absorption). e with IEC 61340-5-1:2016 (IEC 61340-
on a stitched label and displaying the following information of CE Marking ; - registered trademark, name and complete address of - designation of the footwear (= article name and alpha - nr. and year of the Standard of reference + safety symplesize of the footwear (printed on the outsole); - production date (month + year); - additional information: website, category of the PPE, "I	the Manufacturer; anumeric code); bols;
	 basic requirements for safety footwear (SB) (see Table 2 mandatory ones, among which: SRC = Slip resistance – meets the following requirement: surface: ceramic / lubricant: detergent solution; surface: steel / lubricant: glycerol. Additional requirements (Tab. 18 and 20 of EN ISO 20345: S1 = closed seat region, antistatic properties, ener resistance to fuel oil; P = penetration resistance of the sole complex. Note 1: the penetration resistance of the synthetic stitch proc diameter of the perforating object; in return the synthetic insole ergonomics advantages (flexibility, insulation, humidity and imp Note 2: the footwear also meets the requirement in accordance 4-3:2017) for the electrical resistance ESD (electric dissipative for on a stitched label and displaying the following informat - CE Marking: registered trademark, name and complete address of designation of the footwear (= article name and alpho of the footwear (printed on the outsole); production date (month + year);



NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements. The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).

