



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/006/161/04/22/0686 EXT 08/08/22

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : JALLATTE SAS
5, rue du Fort – Pierre JALLATTE 30170 SAINT HIPPOLYTE DU FORT
France

Description

PPE Type : *an occupational and Personnel grounding, ESD control - footwear*

Product reference : JALLABO ESD

Article code : JOJO213

Construction and material of outsole : Polyuréthane - insert TPU

Pictures :



www.jallatte.com

JALLABO ESD JOJO213

07/2022
JOJO213

EN ISO 20347 : 2012

02 FO SRC

EN 61340-5-1 : 2016

Made in Tunisia
JALLATTE SAS
5 Rue du Fort – Pierre Jallatte
30170 St Hippolyte du Fort
France

EPI II



Reference standard : EN ISO 20347 : 2012 and EN 61340-5-1:2016

Classification : I **Category : 02 FO SRC**

Size range : 35 - 48 **Slip resistance : SRC**

Toecap nature : N/A **Insert nature : N/A**

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from AUGUST 2022 and the Instruction for Use index REV. 04 - 11/2021.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

Date of first issue : 26 August 2022

Nadine PIPAZ

End of validity date : 26 August 2027

CE Expert Team Coordinator



www.ctcgroupe.com

cemarking@ctcgroupe.com



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com
Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

JALLATTE SAS

MANUFACTURER'S TECHNICAL FILE

Reference of the product : JALLABO ESD

Article code : JOJO213

Technical file index : 01

Last update : AUGUST, 2022

IDENTIFICATION

Reference of the product : JALLABO ESD
Article Code : JOJO213
Major variant of model : JOJO205 JALSALT ESD
Technical file index : 01
Last update : AUGUST, 2022

Manufacturer :

JALLATTE SAS

5, rue du Fort – Pierre JALLATTE 30170 SAINT HIPPOLYTE DU FORT

France

tel : 33 (0)4.66.80.63.00

fax : 33 (0)4.66.80.63.03

Factory :

MARTEK SARL

ROUTE DE TUNIS - ZONE INDUSTRIELLE / 7050 MENZEL BOURGUIBA

Tunisie

Tel : 00 216 72 11 37 00

JALLATTE SAS

5, rue du Fort – Pierre JALLATTE 30170 SAINT HIPPOLYTE DU FORT

France

Tel : 33 (0)4.66.80.63.00

Fax : 33 (0)4.66.80.63.03

FOOTWEAR DESCRIPTION

Footwear description:

The classification of this footwear is: I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

The design of this footwear is: A : low shoe

Visual description:

General view :



Outsole view :



Reference of the mould : LJ ENERGY

Range of sizes :

35 - 48

Construction and material of outsole :

Polyuréthane - insert TPU

Field of use

Métiers de bouche / Hygiène - Sante / Hotellerie - Restauration

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.6	PPE is intended for use in potentially explosive atmospheres	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking

FOOTWEAR CONSTITUTION

	Ref	Material	Color
UPPER	SI 00231	TISSU NON TISSE S2 BLANC tissu 80% PES 20% MTP épaisseur 1.8 hydrofuge	Blanc
COLLAR	SI 00547	ALBANY BLANC COL. 00 ACC PE Toile 225 gr/mq. Comp. PE 2/30 Kg MA 5gr/dmq	Blanc
TONGUE	SI 00060 = SI00002	Synthétique SPICE blanc synthétique épaisseur 0.70/0.75 comp. CO 45% PU 55%	Blanc
	SI 00231	TISSU NON TISSE S2 BLANC tissu 80% PES 20% MTP épaisseur 1.8 hydrofuge	Blanc
VAMP LINING	SI 00743	SURF gris ACC Toile noire doublure maille 3D 260/gr 100% PES 22gage grammage 2,5gr/dmq	Gris
QUARTER LINING	SI 00568	ROMA gris 31 ACC ROV.+MTP4,5+ MGL noir MTP 80% + 20% MGL in PE épaisseur 0,5	Gris
INSOCK	TL 00170	C/SOTTOPIEDE SOFT GEL GRIGIO Première de propreté polyuréthane 100% expansé densité 0,40	Gris / Jaune
OUTSOLE	CH 00116 / CH 00117	PU / PU	Blanc / Gris
	IN 00009	Insert semelle INFINERGY gris E-TPU Expansé thermoplastique polyuréthane densité 0,25	Gris
INSOLE	SP00033	Première de montage conductrice 3,5mm ANTHRACITE Première de montage conductrice polypropylène épaisseur 3,5 850gr/mq FOURNISSEUR DELTA BBD	Gris
DECORATIVE ELEMENTS	AT 01413	TALLONETTA TPU JALLATTE SUPPORT N/G	
	SV 00055	SERIGRAFIA JE ARGENTO/GRIGIO AT01434	

PROTECTION SCOPE

Basic requirements :

This product has been designed to be an occupational and Personnel grounding, ESD control - footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20347 : 2012 : Personal protective equipment - Occupational footwear

EN 61340-5-1:2016

It is a category II product

Requirement of the standard EN ISO 20347 : 2012 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20347 : 2012 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (n° 1907/2006 and revisions)

Additional requirements :

The additional requirements are :

- Closed seat region
- Antistatic footwear
- Energy absorption of seat region
- Upper : Water penetration and water absorption

MARKING - PACKAGING

Information printed on the footwear :

- * Logo of the Manufacturer
- * Logo **CE**
- * Manufacturer's type designation
- * Postal address of manufacturer
- * Footwear's reference JALLABO ESD
- * Article code JOJO213
- * Size
- * Year of manufacture and at least quarter
- * The number and year of the Standard used
- * The symbol(s) of the additional requirements

Marking example :



www.jallatte.com

JALLABO ESD JOJO213

07/2022
JOJO213


EN ISO 20347 : 2012

O2 FO SRC

EN 61340-5-1 : 2016

Made in Tunisia
JALLATTE SAS
5 Rue du Fort – Pierre Jallatte
30170 St Hippolyte du Fort
France

EPI II



The location of marking is : Etiquette piquée à l'intérieur de la chaussure

Method of marking on the footwear :

Etiquette CE tissu piquée sur la doublure

Packaging :

1 paire dans une boîte chaussure

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	Reference	Laboratory	Reference
CTC	L210201939_2	CTC	L210201930_1
CTC	L211120381_1	CIMAC	2020/2010-6-RP-1
CTC	L210201913_2	CTC	L210713482_1
CIMAC	2017/1557-5-RP-2	CTC	L210713478_2
CTC	L211120383_1	CTC	L220201996_1
CIMAC	2017/1382-2-RP-2	CTC	L210814749_1

MEANS OF CONTROL

Essais en internes mensuels : Résistance électrique (méthode interne)- Perforation -Absorption d'énergie du talon, choc (EN ISO 20344: 2011).

Essais journaliers sur semelle : décollement bi-couche , abrasion, déchirement pantalon, flexion, dureté et densité (EN ISO 20344: 2011)

PPE subject to ageing :

Peremption period : Durée maximum de 7 ans conseillée dans notice CE when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity :

Available on : www.jallatte.com